# Global Models with Chemistry

## Model Designed To:

- operate on a global scale
- "capability" to simulate atmospheric chemical transformations on this scale

Models may be designed for part of the atmosphere (e.g., stratosphere) with only a rudimentary treatment of the remainder of the atmosphere.

## NOAA Atmospheric Chemistry Model Summary

Model Name	Page	Lab	Technical Contact	Forecast	Tropo	Strat	Global	Reg	Local	Trans	Chem	eroso (	l Cloud	Output
AM3	11	GFDL	L. Horowitz		1	√	<b>V</b>	√		√	√	√		Online global trop & strat chem, chemistry- climate interactions
AMTRAC	9	GFDL	J. Austin		1	1	V			1	V	1		Strat O <sub>3</sub> depletion & recovery, climate change impact on strat chem
Cloud Parcel	47	ESRL	B. Ervens		√				√		√	√	√	Cloud chemistry and microphysics
CMAQ	41	ARL	R. Mathur	V	<b>V</b>			√	√	1	V	1	<b>V</b>	Regional forecast guidance and assessments for O <sub>3</sub> , PM, & air toxic distributions
FIM	13	ESRL	S. Benjamin	V	$\sqrt{}$					V	V			Global tracer & chem model, under development
FLEXPART	27	ESRL	O. Cooper	V	1	<b>V</b>	V	√		<b>V</b>				Global/regional pollutant transport, source attribution, field mission support
GCTM-Dust	33	GFDL	SM. Fan		<b>V</b>		<b>V</b>			<b>V</b>	V	<b>V</b>		Global dust transport, acidification, dissolved iron deposition
GFS	15	NCEP	S. Lu	V	1	1	V			1			1	Medium-range weather prediction/ research, boundary conditions for other models
HYSPLIT	31	ARL	R. Draxler	V	1		√	√	√	√	√	√		Pollutant transport, dispersion, deposition, forecasting
IDEA	37	NESDIS	S. Kondragunta	ı V	1			<b>V</b>		1		1		PM satellite data assimilation, regional PM forecasting
MAIA	53	ESRL	J. Kazil E. R. Lovejo	у	1	<b>V</b>			1	1	1	1	V	Aerosol formation and growth
MCM Box	51	ESRL	R. Sommariva		1				<b>V</b>		1	1		Chem mechanism development, plume chem analysis
MOZART	17	ESRL/ GFDL	C. Granier L. Horowitz		V		V			V	1	V		Evolution of global chem distributions, observational analysis, assessments
NOCAR	21	ESRL	R. Portmann S. Solomon			1	V			V	V	1		Strat O <sub>3</sub> evolution and depletion potentials, source gas lifetimes
RAMS/ LES	49	ESRL	G. Feingold		√				√	√		√	√	Aerosol-cloud interactions
RAQMS	19	NESDIS	R. B. Pierce	V	V	1	V			V	1			Global chem satellite data assimilation & analysis, field mission support
RUC/ CSU-LPDM	35	ESRL	S. Benjamin	V	1			1		1				Rapid update weather prediction, tracer transport, pollutant source attribution
STILT	29	ESRL	A. Hirsch	√	√			1		√				Greenhouse gas transport and source analysis
TM5 Carbon Tracker	25	ESRL	W. Peters/ A. Jacobson	V	1		V			1	1	1		Global/regional chem tracer transport, pollutant source & sink analysis
WRF/Chem	43	ESRL	G. Grell	V	7		7	√	1	1	1	<b>V</b>		Regional online forecasting & analysis of O <sub>3</sub> & PM, climate-AQ interactions

### **Atmospheric Model with Transport and Chemistry (AMTRAC)**

### Brief description

 Climate model with coupled stratospheric chemistry and simplified tropospheric chemistry.

### Principal applications/customers

- Timing and extent of ozone depletion and recovery.
- Impact of climate change on stratospheric chemistry.

# Key participants, lab/organization, effort, contact information

- John Austin, UCAR/GFDL (full time).
- John Wilson, GFDL (part time).

# **Atmospheric Model 3 (AM3)**

#### Brief description

 General circulation model (GCM) being developed at GFDL. It includes online, interactive tropospheric and stratospheric gas-phase and aerosol chemistry.

#### Principal applications/customers

 Simulating global- and regional-scale climate and distributions of chemical species.

#### Key participants, lab/organization, effort, contact information

- Larry W. Horowitz, GFDL, larry.horowitz@noaa.gov.
- Paul Ginoux, GFDL, paul.ginoux@noaa.gov.
- John Austin, GFDL/UCAR, john.austin@noaa.gov.
- John Wilson, GFDL, john.wilson@noaa.gov.
- Yi Ming, GFDL/UCAR, yi.ming@noaa.gov.

#### Chemistry/aerosols

- Tropospheric chemistry scheme and solver based on that in MOZART-2 [Horowitz et al., 2003]
- Stratospheric chemistry based on that in UMETRAC [Austin and Butchart, 2003] and AMTRAC
- Aerosols based on GOCART [Ginoux et al., 2001; Chin et al., 2002]
- Aerosol-cloud interactions [Ming et al., 2007]

### Flow-following finite-volume Icosahedral Model (FIM)

#### Brief description

 Global 3-D dynamic model under development at ESRL. Icosahedral horizontal grid (avoid pole problem), finite-volume horizontal advection and isentropic-sigma vertical coordinate, GFS precip/radiation/boundarylayer/land-surface physics, suitable for chemistry in future (e.g., WRF/Chem schemes).

#### Principal applications/customers

 Alternative global model for NCEP global ensemble, possible flagship model for ESRL research using ESRL coupled assimilation-modeling on global scale.

#### Key participants, lab/organization, effort, contact information

- Jin Lee, Rainer Bleck, Jian-wen Bao, Stan Benjamin, John Brown, and Jacques Middlecoff, ESRL GSD/PSD.
- Primary contact Jin Lee, Stan Benjamin.

#### Chemistry/aerosols

None yet, future adaptation of WRF/Chem schemes.

## Global Forecast System (GFS)

#### Brief description

 Global spectral model for medium-range weather predictions and atmospheric research.

#### Principal applications/customers

- Weather forecasts out to 16 days.
- Forecasts routinely used by NWS field offices, other government agencies, the private sector, and the public.

#### Key participants, lab/organization, effort, contact information

- Sarah Lu, NOAA/NCEP/EMC, full-time, sarah.lu@noaa.gov.
- Ho-Chun Huang, NOAA/NCEP/EMC, full-time, ho-chun.huang@noaa.gov.

#### Chemistry/aerosols

- Ozone: Naval Research Lab (NRL) ozone physics algorithm (production and destruction are parameterized from monthly and zonal mean dataset derived from NRL 2-D ozone chemistry model);
- Aerosols: NASA GOCART (planned activities).

### Model for OZone And Related chemical Tracers (MOZART)

#### Brief description

 Global chemical transport model, driven with offline meteorology (e.g., NCEP or ECMWF reanalyses, or from a GCM).

#### Principal applications/customer

• Studies of the evolution of the global distribution of chemical species (gases and aerosols) for present, past (1860-2000), and future (2000-2100) periods. Analysis of observation campaigns. Analysis of satellite data and inverse modeling. Participation in international assessments.

#### Key participants, lab/organization, effort, contact information

- NOAA: Claire Granier (claire.granier@noaa.gov), ESRL/CSD; Larry Horowitz (larry.horowitz@noaa.gov); Arlene Fiore (arlene.fiore@noaa.gov), GFDL.
- NCAR: L. Emmons (emmons@ucar.edu), P. Hess, J.-F. Lamarque, D. Kinnison, J. Orlando, G. Pfister, X. Tie, G. Tyndall, S. Walters.
- FZ Juelich, Germany: M. Schultz (m.schultz@fz-juelich.de), O. Stein.

#### Chemistry/aerosols

MOZART-4 contains 98 chemical species and about 200 chemical reactions; O<sub>3</sub>, CO, NO<sub>y</sub> compounds, HO<sub>x</sub> compounds, several hydrocarbons and their oxidation compounds, SO<sub>2</sub>, SO<sub>4</sub>=, H<sub>2</sub>SO<sub>4</sub>, black carbon, organic carbon, SOA, DMS. Species and reactions included can be modified easily using chemical pre-processor.

### Real-time Air Quality Modeling System (RAQMS)

#### Brief description

 Online unified troposphere/stratosphere global chemical data assimilation/forecasting system.

#### Principal applications or customers

 Development of global satellite data chemical data assimilation capabilities; assessment of impacts of lateral boundary conditions, forecasting, and analysis support for airborne field missions.

#### Key participants, lab/organization, effort, contact information

• R. Bradley Pierce, NOAA/NESDIS/STAR, brad.pierce@noaa.gov.

#### Chemistry/aerosols

Family (O<sub>x</sub>, NO<sub>y</sub>, Cl<sub>y</sub>, Br<sub>y</sub>) approach with 55 transported species, fast species assume PCE. Standard O<sub>x</sub>-HO<sub>x</sub>-NO<sub>x</sub>-ClO<sub>x</sub>-BrO<sub>x</sub> cycles governing the formation and destruction of odd oxygen, tropospheric NO<sub>x</sub>-HO<sub>x</sub> reactions, oxidation of CH<sub>4</sub>, and CO. Treatment of non-methane hydrocarbons (NMHC) based on extended CB IV (explicit treatment of ethane, ethene, and methanol oxidation, semi-explicit treatment of propane) and explicit treatment of isoprene oxidation.

# 2-D Middle Atmosphere Model (NOCAR)

#### Brief description

 Coupled dynamical-radiative-chemical two-dimensional model of the middle atmosphere, including detailed ozone chemistry and its interaction with long and short lived gases.

#### Principal applications/customers

Evolution of ozone, ozone depletion potentials, lifetimes of source gases.

#### Key participants, lab/organization, effort, contact information

- Robert Portmann, ESRL/CSD, robert.w.portmann@noaa.gov.
- Susan Solomon, ESRL/CSD, susan.solomon@noaa.gov.

#### Chemistry/aerosols

Detailed family approach for stratospheric chemistry.